



Laboratories used for End Product Testing

Product group: Starch, Lactose, Inhalation, MCC, Biopharma and Superdisintegrants

All products manufactured by DFE Pharma GmbH & Co. KG

Document No.: PD-0720 Page 1 of 4

Dear Customer,

This document states the involvement of our qualified and approved laboratories or contract laboratories, which perform end product testing of our products.

DFE Pharma GmbH & Co. KG headquartered at Klever Strasse 187, 47574 Goch, Germany is using (contract-) Laboratories for end product testing located in:

EUROPE		[GE=Germany ; NL= The Netherlands]	
1	DFE Pharma B.V. Transistorweg 5 6534 AT Nijmegen, NL	2	Labor L+S AG* Mangelsfeld 4 97708 Bad Bocklet, GE
3	FrieslandCampina Ingredients B.V. Needseweg 23 7271 AB Borculo, NL	4	FrieslandCampina DMV B.V. NCB Laan 80 5462 GE Veghel, NL
5	CCL Nutricontrol* NCB Laan 52 5462 GE Veghel, NL	6	FrieslandCampina Laboratory & Quality Services LOS* P. Stuyvesantweg 1 8937 AC Leeuwarden, NL
7	Avebe Ter Apelnkanaal M. en O.-weg 11 9563 TM Ter Apelnkanaal, NL	8	Laboratorium Ofichem B.V. Heembadweg 5 9561CZ Ter Apel, NL
9	Sure Laboratories Steenovenweg 5 5708 HN Helmond, NL		
NEW ZEALAND		[NZ= New Zealand]	
10	AsureQuality Limited* 1C Quadrant Drive, Waiwhetu, Lower Hutt 5010 Wellington, NZ	11	AsureQuality Limited* 131 Boundary Road, Blockhouse Bay PO Box 41, Shortland Street Auckland 1140, NZ
12	Fonterra Whareroa Laboratory* Whareroa Road Hawera 4672, NZ		

* = ISO 17025:2005 accredited



Laboratories used for End Product Testing

Product group: Starch, Lactose, Inhalation, MCC, Biopharma and Superdisintegrants

All products manufactured by DFE Pharma GmbH & Co. KG

Document No.: PD-0720 Page 2 of 4

INDIA		[IN= India]	
13	DFE Pharma India Pvt. Ltd. B-4, Industrial Complex, Kudikadu, Cuddalore – 607005 Tamil Nadu. IN	14	Qualichem Laboratories,* Swami Samartha Complex, Dharampeth Extension, Gokulpeth, Nagpur-440010. IN

* = ISO 17025:2005 accredited



Laboratories used for End Product Testing

Product group: Starch, Lactose, Inhalation, MCC, Biopharma and Superdisintegrants

All products manufactured by DFE Pharma GmbH & Co. KG

Document No.: PD-0720 Page 3 of 4

The arrangements for testing per production site are as described below:

Production site location	Products produced	Laboratory analysis at:
FrieslandCampina DMV B.V. Veghel, The Netherlands	Pharmatose® & Respitose®	1, 4, 5, 6
FrieslandCampina Ingredients B.V. Borculo, The Netherlands	Lactochem® (in bags and big bags)	1, 3
DFE Pharma B.V. Borculo, The Netherlands	Lactopress® (spray-dried and anhydrous), Lactochem® & Lactohale® (in boxes and drums) SuperTab® (in boxes)	1, 3, 5, 6
DFE Pharma GmbH & Co. KG Nörten-Hardenberg, Germany	SuperTab® & Lactopress® (granulated and anhydrous)	1, 2, 3, 5, 6
Fonterra Limited Kaponga, New Zealand	SuperTab® & Pharmatose®	10, 11, 12
DFE Pharma (NZ) Ltd. Kaponga, New Zealand	Lactohale® & Customized Inhalation products	10, 11, 12
DFE Pharma B.V. Foxhol, The Netherlands	Primojel® & Primellose®	1, 6, 9
AVEBE KPW GmbH Lüchow, Germany (Until 31-July-2022)	Solani Amylum	7
AVEBE U.A. Ter Apelkanaal, The Netherlands (Until 31-July-2022)	Prejel PA5 PH	7
DFE Pharma India Pvt. Ltd. Cuddalore, India	Pharmacel®	13
Chemfield Cellulose Limited Nagpur, Maharashtra, India	Pharmacel®, Pharmacel® sMCC 90	14
Laboratorium Ofichem B.V. Ter Apel, The Netherlands	BioHale® Sucrose, BioHale® Trehalose	8
Agglomix BV Jules Verneweg 85 5015 BH Tilburg, NL (from 01-Aug-2022)	Solani Amylum, Prejel PA5 PH	1, 5, 6



Laboratories used for End Product Testing


Product group: Starch, Lactose, Inhalation,
MCC, Biopharma and
Superdisintegrants

All products manufactured by DFE Pharma
GmbH & Co. KG

Document No.: PD-0720 Page 4 of 4

This statement substitutes all previous versions issued for the brand names mentioned above.
We trust this information, which is made up to the best of our knowledge, will be helpful to you.

With kindest regards,

Name : Peter Ebben
Job title : Global Quality Control Manager
Signature : 

This document is controlled by a validated, electronic system and is valid without signature.
The above facsimile signature is only for display.